



آسان پوشش سپاهان
تولید کننده رنگ ها و پودر



فارسی



English

شروع

ASAN POSHESH SEPAHAN
SMART CATALOG

فهرست هوشمند

روی آیتم مورد نظر کلیک کنید.

رنگ های پودری

محصولات

تماس با ما

درباره ما



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

روی آیتم مورد نظر کلیک کنید.

انواع رنگ های پودری

مزایای رنگ های پودری

روش نگهداری و مصرف



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

انواع رنگ های پودری

< پوشش پودری اپوکسی

< پوشش پودری اپوکسی پلی استر

< پوشش پودری پلی استر

< پوشش پودری پلی اورتان



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

پوشش پودری اپوکسی

پوشش های پودری اپوکسی دارای مقاومت بسیار خوب در مقابل سایش و خوردگی هستند. این پوشش ها در صورت استفاده درست توسط مصرف کننده، سطحی بسیار زیبا با مقاومت شیمیایی بسیار خوب ایجاد می کنند. این نوع رنگ در برابر نور خورشید و شرایط جوی مقاوم نمی باشد. این رنگ ها در دو نوع کرونا و تریپو بر اساس نیاز مشتری قابل تولید هستند.



موارد مصرف:

قطعاتی که نیاز به مقاومت شیمیایی و خوردگی دارد. قطعاتی که در محیط های بسته و بدور از نور خورشید مورد استفاده قرار می گیرند. (indoor) (لوازم خانگی، ماشین آلات و لوله های صنعتی)

تماس با ما



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

پوشش پودری اپوکسی پلی استر

پوشش های پودری اپوکسی پلی استر در کنار زیبایی ظاهری از خواص شیمیایی و مکانیکی خوبی برخوردار است. سطح عالی، خواص مکانیکی و شیمیایی ایده آل، دوام در برابر حرارت کوره های پخت، طیف های متنوع، براقیت های مختلف و قیمت مناسب را می توان به عنوان مشخصه های اصلی این رنگ ها نام برد. به همین دلیل رنگهای اپوکسی پلی استر پرمصرف ترین رنگ های پودری در سطح دنیا می باشند. این نوع رنگ در برابر نور خورشید و شرایط جوی مقاومت خوبی ندارند. این رنگ ها در دو نوع کرونا و ترایبو بر اساس نیاز مشتری قابل تولید هستند.



موارد مصرف:

قطعاتی که در محیط های بسته و بدور از نور خورشید مورد استفاده قرار می گیرد. (indoor) (لوازم خانگی، ظروف تفلون، قطعات اتومبیل و برخی پروفیل های آلومینیوم)



تماس با ما



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

پوشش پودری پلی استر

پوشش های پودری پلی استر دارای مقاومت بسیار خوبی در مقابل نور خورشید بوده و لذا جهت مصارف بیرونی و قطعاتی که در معرض نور خورشید می باشند پیشنهاد می شود. ظاهری زیبا، روان پذیری و سطح بسیار خوب در کنار پایداری حرارتی مناسب و مقاومت مکانیکی ایده آل از دیگر خواص این رنگ ها است. این رنگ ها در دو نوع کرونا و تراپو بر اساس نیاز مشتری قابل تولید هستند.



موارد مصرف:

این رنگها جهت پوشش ورق و پروفیل های آلومینیومی، درب و پنجره های فلزی، سازه های ساختمانی، قفسه بندی انبارها، لوازم خانگی، انواع مخازن فشار قوی و قطعات خودرویی که در حین استفاده در معرض نور خورشید می باشند (تیغه برف پاک کن و ...) مورد استفاده قرار می گیرند. (outdoor)



تماس با ما



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

پوشش پودری پلی اورتان

مشخصه اصلی رنگ های پلی اورتان پودری مقاومت بسیار عالی این رنگها در مقابل اشعه UV نور خورشید می باشد. البته این نوع رنگها به دلیل ظاهر بسیار زیبا و چشم نواز و عدم ایجاد مشکل پوست پرتقالی شدن (که یکی از معضلات رنگ های پودری است) نیز مورد توجه قرار می گیرند. یکی دیگر از ویژگی های پلی اورتان خاصیت کشسانی رنگ بعد از زمان پخت می باشد. خواص مکانیکی بسیار عالی به همراه خواص شیمیایی ایده آل، از دیگر مشخصه های این رنگها هستند. این رنگ ها در دو نوع کرونا و ترایبو بر اساس نیاز مشتری قابل تولید هستند.



موارد مصرف:

مشخصه اصلی رنگ های پلی اورتان پودری مقاومت بسیار عالی این رنگها در مقابل اشعه UV نور خورشید می باشد. البته این نوع رنگها به دلیل ظاهر بسیار زیبا و چشم نواز و عدم ایجاد مشکل پوست پرتقالی شدن (که یکی از معضلات رنگ های پودری است) نیز مورد توجه قرار می گیرند. یکی دیگر از ویژگی های پلی اورتان خاصیت کشسانی رنگ بعد از زمان پخت می باشد. خواص مکانیکی بسیار عالی به همراه خواص شیمیایی ایده آل، از دیگر مشخصه های این رنگها هستند.



تماس با ما



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

مزایای رنگ های پودری

- ضایعات و پرت اندک
- عدم نیاز به حلال
- عدم آلودگی های زیست محیطی
- برگشت پذیری و قابلیت استفاده از رنگ پرت تا ۹۹ درصد
- امکان پاشش با ضخامت بالا بدون شره کردن
- خواص مکانیکی و مقاومت بسیار خوب

ADVANTAGES



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

روش نگهداری و مصرف

STORAGE AND CONSUMPTION

انبارداری:

رنگهای پودری می بایست در جای خشک و خنک (دمای کمتر از ۳۰ درجه سانتیگراد) نگهداری شوند. تابش مستقیم نور خورشید نیز به مدت طولانی برای این رنگ ها مضر است. از بازنگه داشتن کارتن رنگ ها برای مدت طولانی اجتناب شود. چینش بیش از چهار کارتن روی هم توصیه نمی شود. در صورت احراز شرایط فوق، امکان نگهداری و استفاده رنگ های پودری تا یکسال پس از تاریخ تولید وجود دارد.

آماده سازی سطح:

رنگهای مختلف پودری می تواند بر روی هر قطعه ای که هادی جریان الکتریکی بوده و قابلیت تحمل دمای پخت رنگ مورد نظر را داشته باشد، استفاده گردد. برای داشتن خواص مکانیکی و شیمیایی و ظاهری مناسب، آماده سازی سطح امری بسیار مهم می باشد.



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

روش نگهداری و مصرف

STORAGE AND CONSUMPTION

پاشش:

رنگهای پودری در انواع مختلف، توسط اسپری های کرونا یا تراپو به صورت دستی یا اتوماتیک استفاده می گردد. در سیستم های کرونا، ولتاژ ۵۰ - ۷۰ برای رنگهای ساده استاندارد می باشد. برای رنگ های خاص، مصرف کننده می بایست جهت حصول نتیجه مطلوب، با توجه به شرایط سیستم خود، ولتاژ مناسب را به دست آورد. تمیزکاری دستگاه اسپری و متعلقات آن و اتاقک پاشش قبل از تعویض هر رنگ چه از نظر فام یا نوع (چکشی، صاف، سنباده ای و ...) یا سیستم (اپوکسی، اپوکسی پلی استر و ...) برای رسیدن به پوششی با کیفیت مورد نظر، الزامی می باشد.



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

روش نگهداری و مصرف

STORAGE AND CONSUMPTION

ایمنی:

در صورت تماس پوست با رنگ، میتوان دست را با آب گرم و صابون تمیز کرد. در هنگام مصرف جهت جلوگیری از حساسیت حتماً از کلاه، عینک و ماسک استفاده شود. در صورت عدم استفاده از ماسک و تماس طولانی با رنگهای پودری عوارض ریوی و تنفسی ایجاد خواهد شد. در صورت رعایت موارد فوق، هیچگونه نگرانی وجود نداشته و به راحتی می توان از رنگهای پودری که سازگار با محیط زیست هستند استفاده نمود. در صورت نیاز به اطلاعات کامل تر، برگه اطلاعات ایمنی مواد شرکت را مطالعه فرمائید.



بازگشت سریع:

رنگ های پودری

فهرست هوشمند

روش نگهداری و مصرف

STORAGE AND CONSUMPTION

پخت رنگ:

بعد از زیر سازی و تمیزکاری، پخت رنگ بعنوان اصلی ترین عامل رسیدن به پوشش و خواص مورد نظر قابل ذکر می باشد. در واقع پخت ناقص (از نظر زمان یا دما) روی پوشش نهایی تأثیر نامطلوبی می گذارد. دمای پخت پایین یا زمان اقامت کم در کوره باعث ضعیف شدن مقاومتهای مکانیکی و شیمیایی فیلم رنگ و در رنگ های خاص (به خصوص چکشی ها و چروک) باعث ظاهر نامطلوب رنگ می شود. پخت با دمای بالا و زمان بیشتر از حد استاندارد نیز باعث مات شدن رنگهای براق و تغییر رنگ پوشش های پودری شده و همچنین مقاومت مکانیکی رنگ را کاهش می دهد



بازگشت سریع:

محصولات

فهرست هوشمند

روی آیتم مورد نظر کلیک کنید.

رنگ های پودری ساده

رنگ های پودری چکشی

رنگ های پودری چرمی

رنگ های پودری سنبله ای

رنگ های رال رنگ



بازگشت سریع:

محصولات

فهرست هوشمند

رنگ های پودری ساده

PRODUCTS

رنگهای ساده الوان در طیف های مختلف و در قالب انواع سوپر براق، براق نمیه مات، مات و سوپر مات قابل تولید می باشند.

عکس های محصولات

سفارش گذاری



بازگشت سریع:

محصولات

فهرست هوشمند

پودری چکشی

PRODUCTS

رنگهای پودری چکشی آسان پوشش با کیفیتی منحصر به فرد و پوشش عالی، قابلیت استفاده از بازیافت رنگ با کمترین تغییرات در کیفیت پوشش و با تنوع بسیار در رنگهای مختلف و چشم نواز نظر صنایعی مانند صنایع آلومینیوم و لوازم خانگی را به خود جلب کرده است. توصیه می شود جهت دوام بیشتر این رنگها بعد از پخت، بر روی آنها از رنگهای ورنی آسان پوشش استفاده شود.

عکس های محصولات

سفارش گذاری



بازگشت سریع:

محصولات

فهرست هوشمند

پودری چرمی

PRODUCTS

رنگهای پودری چرمی آسان پوشش با کیفیت ممتاز، سطحی زیبا را بر روی قطعات به وجود می آورد. پوشش های چرمی در طیف های مختلف بصورت ریز و درشت قابل تولید می باشند.

عکس های محصولات

سفارش گذاری



بازگشت سریع:

محصولات

فهرست هوشمند

پودری سنباده ای

PRODUCTS

رنگهای پودری سنباده ای آسان پوشش از نقطه نظر زیر بودن، در دو نوع ریز و درشت تقسیم بندی و در تمام طیف های رنگی قابل تولید می باشند.

عکس های محصولات

سفارش گذاری



بازگشت سریع:

محصولات

فهرست هوشمند

رال رنگ

PRODUCTS

عکس های محصولات

سفارش گذاری



بازگشت سریع:

تماس با ما

فهرست هوشمند

تماس تلفنی

ارتباط با مدیریت

وب سایت

اینستاگرام

واتس اپ

لوکیشن

آدرس دفتر و کارخانه:

اصفهان- شهرک صنعتی دولت آباد- خیابان هاتف اصفهانی (۱۶)-
پلاک ۲۷

ایمیل: info@asanposhesh.ir



بازگشت سریع:

درباره ما

فهرست هوشمند

گواهینامه ها

تصاویر کارخانه

تماس با ما

نمایشگاه ها

شرکت آسان پوشش سپاهان در سال ۱۳۷۸ در جهت تامین انواع رنگهای صنعتی، ساختمانی و تجهیزات خطوط رنگ فعالیت خود را آغاز نموده است. از سال ۱۳۸۶ با استفاده از دستگاه های مدرن و تکنولوژی روز دنیا شروع به تولید رنگ های الکترواستاتیک نموده و انواع رنگ های پودری را تولید و ارائه کرده است. این شرکت قادر به تولید انواع رنگ های پودری اپوکسی، اپوکسی پلی استر، پلی استر و پلی اورتان در طیف های گوناگون و به صورت رنگ های ساده، چکشی، سنباده ای، دکورال، چروک، چرمی و متالیک می باشد. در حال حاضر شرکت آسان پوشش یکی از پرتنوع ترین و با کیفیت ترین شرکت های تولید رنگ در ایران می باشد. شعار اصلی این شرکت همواره، کیفیت برتر و رضایتمندی مشتری بوده است. در حال حاضر این شرکت با برخورداری از کلیه امکانات تولید، آزمایشگاه مجهز و کادر علمی مجرب خود جهت ارائه رنگ های پودری آماده همکاری با کلیه شرکت ها می باشد.



بازگشت سریع:

درباره ما

فهرست هوشمند

گواهینامه ها

تصاویر کارخانه

تماس با ما

نمایشگاه ها



بازگشت سریع:

درباره ما

فهرست هوشمند

گواهینامه ها

تصاویر کارخانه

تماس با ما

نمایشگاه ها



بازگشت سریع:

درباره ما

فهرست هوشمند

گواهینامه ها

تصاویر کارخانه

تماس با ما

نمایشگاه ها



بازگشت سریع:

درباره ما


فهرست هوشمند

گواهینامه ها

تصاویر کارخانه

تماس با ما

نمایشگاه ها



بازگشت سریع :

درباره ما


فهرست هوشمند

گواهینامه ها

تصاویر کارخانه

تماس با ما

نمایشگاه ها



بازگشت سریع:

درباره ما

فهرست هوشمند

گواهینامه ها

تصاویر کارخانه

تماس با ما

نمایشگاه ها

اصفهان مرداد ۹۵



بازگشت سریع:

درباره ما

فهرست هوشمند

گواهینامه ها

تصاویر کارخانه

تماس با ما

نمایشگاه ها

اصفهان تیر ۹۹



بازگشت سریع:

درباره ما

فهرست هوشمند

گواهینامه ها

تصاویر کارخانه

تماس با ما

نمایشگاه ها

تهران آذر ۱۴۰۰



CANDO
DESIGN
BRANDING
AGENCY



SMART
MOBILE CATALOG
DESIGN

طراحی شده توسط آژانس کن دو دیزاین

 WEBSITE →

 PHONE →

Address: No.12 , Unit 3 , Sanei Alley, Jahan Koodak Crossroads, Jordan St, Tehran

Phone number: +21 88 65 86 38

Our Website: www.wecan-wedo.com



Asan Poshesh Sepahan Co.
Manufacturer of powder paints



start

ASAN POSHESH SEPAHAN
SMART CATALOG

SMART LIST

Click on the desired item.

Powder Paints

Products

Contact Us

About Us



Quick return:

Powder Paints

SMART LIST

Click on the desired item.

**Types
of Powder Paints**

**Advantages
of Powder Paints**

**Storage & Consumption
Method**



Quick return:

[Powder Paints](#)

[SMART LIST](#)

[Types of Powder Paints](#)

Epoxy Powder Coating



Polyester Epoxy Powder Coating



Polyester Powder Coating



Polyurethane Powder Coating



Quick return:

[Powder Paints](#)[SMART LIST](#)

Epoxy Powder Coating

Epoxy powder coatings have very good resistance to wear and corrosion. These coatings, if used correctly by the consumer, create a very beautiful surface with very good chemical resistance. This type of paint is not resistant to sunlight and weather conditions.

These paints can be produced in two types, Corona and Tribo, according to the customer's needs.



Uses:

Parts that require chemical and corrosion resistance. Parts that are used in closed environments and away from sunlight (indoors), household appliances, machines and industrial pipes.

[Contact Us](#)

Quick return:

Powder Paints

SMART LIST

Polyester Epoxy Powder Coating

Polyester epoxy powder coating has good chemical and mechanical properties in addition to its beautiful appearance. Excellent surface, ideal chemical and mechanical properties, durability against the heat of baking furnaces, various ranges, different glosses and reasonable price can be mentioned as the main characteristics of these paints. These types of paints do not have good resistance to sunlight and weather conditions. These paints can be produced in two types, Corona and Tribo, based on customer needs.



Uses:

Parts that are used in closed environments and away from sunlight (indoors), (Household appliances, Teflon containers, car parts and some aluminum profiles).



Contact Us



Quick return:

Powder Paints

SMART LIST

Polyester Powder Coating

Polyester powder coatings have a very good resistance to sunlight and are therefore recommended for outdoor use and parts that are exposed to sunlight. A beautiful appearance, fluidity and a very good surface along with suitable thermal stability and ideal mechanical resistance are other properties of these paints.

These paints can be produced in two types, Corona and Tribo, based on customer needs.



Uses:

These paints are used to cover aluminum sheets and profiles, metal doors and windows, building structures, warehouse shelving, household appliances, and all types of high pressure tanks and car parts that are exposed to sunlight during use (windshield wiper's blade , ...) (outdoor).



Contact Us



Quick return:

Powder Paints

SMART LIST

Polyurethane Powder Coating

The main characteristic of polyurethane powder paints is their excellent resistance to ultraviolet rays of sunlight. Of course, these types of paints are also considered because of their very beautiful and eye-catching appearance and not causing orange peel skin or open skin pores (which is one of the problems of powder paints). Another feature of polyurethane is the elasticity of the color after baking in the furnace. Excellent mechanical properties along with ideal chemical properties are other characteristics of these paints. These paints can be produced in two types, Corona and Tribo, based on customer needs.



Uses:

The main characteristic of polyurethane powder paints is their excellent resistance to ultraviolet rays of sunlight. Of course, these types of paints are also considered because of their very beautiful and eye-catching appearance and not causing orange peel skin or open skin pores (which is one of the problems of powder paints). Another feature of polyurethane is the elasticity of the color after baking in the furnace. Excellent mechanical properties along with ideal chemical properties are other characteristics of these paints.



Contact Us



Quick return:

Powder Paints

SMART LIST

Advantages of Powder Paints

- Little waste and scrap
- No solvent required
- No environmental pollution
- Reversibility and the ability to use the scrap paint up to 99 percent
- Possibility of spraying with high thickness without dripping
- Very good mechanical properties and strength



ADVANTAGES



Quick return:

Powder Paints

SMART LIST

Storage and Consumption Method



STORAGE AND CONSUMPTION

Storage:

Powder paints should be stored in a dry and cool place (temperature below 30 degrees Celsius). Direct sunlight for a long time is also harmful for these paints. Avoid keeping the paint carton open for a long time. It is not recommended to stack more than four cartons of paint on top of each other. If the above conditions are met, it is possible to store and use powder paints up to one year after the production date.

Surface Preparation:

Different powder paints can be used on any piece that is a conductor of electric current and that has the ability to withstand the desired paint's curing temperature. Surface preparation is very important in order to have the appropriate mechanical, chemical and appearance properties.



Quick return:

Powder Paints

SMART LIST

Storage and Consumption Method



STORAGE AND CONSUMPTION

Spray:

Different types of powder paints are used manually or automatically by Corona or Tribo sprayers. In Corona systems, the voltage of 50-70 is standard for simple paints. For certain paints, the consumer should obtain the appropriate voltage according to the conditions of his/her system in order to achieve the desired result. Cleaning the spray machine and its accessories and the spray chamber before changing any paint, either in terms of color or type (hammered, smooth, sanded, etc.) or system (epoxy, polyester epoxy, etc.) is necessary to achieve the desired quality coating.



Quick return:

Powder Paints

SMART LIST

Storage and Consumption Method



STORAGE AND CONSUMPTION

Safety:

In case of skin contact with paint, hands can be cleaned with warm water and soap. Be sure to use a helmet, glasses, and mask when using to prevent allergic reactions. In case of prolonged contact with powder paints and not using a mask, pulmonary and respiratory complications will occur. If you follow the above, there is no need to worry and you can easily use environmentally friendly powder paints. To gain more complete information, read the company's material safety information sheet.



Quick return:

Powder Paints

SMART LIST

Storage and Consumption Method



STORAGE AND CONSUMPTION

Paint Curing:

After priming and cleaning, paint curing can be mentioned as the main factor to achieve the desired coating and properties. In fact, incomplete curing (in terms of time or temperature) has an adverse effect on the final coating. Low curing temperature or short time in the furnace weakens the mechanical and chemical resistance of the paint film on certain paints (especially hammered and shrinkage paints) will cause the paint to look undesirable. Curing at a high temperature and for a longer time than the standard also causes matting of shiny paints and changes in the color of powder coatings, as well as reduces the mechanical resistance of the color.



Quick return:

Products

SMART LIST

Click on the desired item.

Simple Powder Paints

Hammered Powder Paints

Leather Powder Paints

Sanded Powder Paints

Ral Color Paint Codes



Quick return:

Products

SMART LIST

Simple Powder Paints

PRODUCTS

Simple colorful paints can be produced in different ranges and in the form of super glossy, semi-matte gloss, matte and super matte types.

Product photos

Placing an Order



Quick return:

Products

SMART LIST

Hammered Powder paints

PRODUCTS

Asan poshesh hammered powder paints with a unique quality and excellent coating, the ability to use paint recycling with minimal changes in coating quality and with a wide variety of different eye-catching colors have attracted the attention of industries such as aluminum and household appliances industries. It is recommended to use Asan poshesh coating varnishes on them for longer durability of these paints after curing.

Product photos

Placing an Order



Quick return:

Products

SMART LIST

Leather Powder Paints

PRODUCTS

Asan poshesh premium quality leather powder paints create a beautiful surface on the pieces. Leather coatings can be produced in different ranges in fine and coarse form.

Product photos

Placing an Order



Quick return:

Products

SMART LIST

Sanded Powder Paints

PRODUCTS

Asan poshesh sanded powder paints can be divided into two types, fine and coarse, in terms of roughness, and can be produced in all color ranges.

Product photos

Placing an Order



Quick return:

Products

SMART LIST

Ral Color Paint Codes

PRODUCTS

Product photos

Placing an Order



Quick return:

Contact Us

SMART LIST

Phone Call

Communication
with the management

Website

Instagram

Whatsapp

Location

Address of the factory office:

Isfahan - Dolat Abad Industrial Town - Hatef Esfahani St.
(16) - No. 27

E.mail: info@asanposhesh.ir



Quick return:

[About us](#)[SMART LIST](#)[Certificates](#)[Factory Images](#)[Contact us](#)[Exhibitions](#)

Asan poshesh Sepahan Company started its activity in 1999 in order to supply all kinds of industrial and construction paints and equipment for paint lines. Since 2007, this company has started to produce electrostatic paints using modern devices and technology and has produced and presented various types of powder paints. This company is able to produce all kinds of epoxy, polyester epoxy, polyester and polyurethane powder paints in various ranges and in the form of simple, hammered, sanded, decorative, shrinkage, leather and metallic paints. At present, Asan poshesh Company is one of the most diverse and high-quality paint production companies in Iran. The main motto of this company has always been superior quality and customer satisfaction. Currently, this company is ready to cooperate with all companies with all its production facilities, equipped laboratory and experienced scientific staff to provide powder paints.



Quick return:

About us

SMART LIST

Certificates

Factory Images

Contact us

Exhibitions



Quick return:

About us

SMART LIST

Certificates

Factory Images

Contact us

Exhibitions



Quick return:

About us

SMART LIST

Certificates

Factory Images

Contact us

Exhibitions



Quick return:

About us


SMART LIST

Certificates

Factory Images

Contact us

Exhibitions



Quick return:

About us


SMART LIST

Certificates

Factory Images

Contact us

Exhibitions



Quick return:

About us

SMART LIST

Certificates

Factory Images

Contact us

Exhibitions

Esfahan, July 2016



Quick return:

About us

SMART LIST

Certificates

Factory Images

Contact us

Exhibitions

Esfahan, June 2020



Quick return:

About us

SMART LIST

Certificates

Factory Images

Contact us

Exhibitions

Tehran, December 2021



CANDO
DESIGN
BRANDING
AGENCY



SMART
MOBILE CATALOG
DESIGN

Designed by

CANDO Design Agency



Address: No 12 , Unit 3 , Sanei Alley, Jahan Koodak Crossroads, Jordan St, **Tehran**

Phone number: +21 88 65 86 38

Our Website: www.wecan-wedo.com